

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of	:	Attn: Certificate of
Mitsuaki OSHIMA	:	Correction Branch
Patent No. 7,280,806	:	Atty Docket No. 2003_1847
Issued October 9, 2007	:	
COMMUNICATION SYSTEM	:	Confirmation No. 4248

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 CFR 1.322, it is respectfully requested that a Certificate of Correction issue to correct the following:

On the Cover Page:

In item 56, References Cited, reference “US 6,724,967 Quellet et al” should be deleted from the cover page, because US 6,724, 967 was cited by the Examiner’s mistake.

In the Claims:

In claim 10, column 71, line 41 please replace “apparatus” with “method”.

In claim 11, column 71, line 52, please add “a” after “and”.

REMARKS

Each of the errors listed above apparently arose due to PTO mistakes. Accordingly, a Certificate of Correction should issue at no expense to patentee.

The Commissioner is authorized to charge any deficiency or to credit any overpayment associated with this communication to Deposit Account No. 23-0975, with the EXCEPTION of deficiencies in fees for multiple dependent claims in new applications.

Respectfully submitted,

Mitsuaki OSHIMA

/Jeffrey R. Filipek/

By 2008.12.04 13:58:21 -05'00'

Jeffrey R. Filipek

Registration No. 41,471

Attorney for Patentee

JRF/tab
Washington, D.C.
Telephone (202) 721-8200
Facsimile (202) 721-8250
December 4, 2008